## References

[1] A.C. Fry, D, Ciroslan, M.D. Fry, C.D. LeRoux,B.K. Schilling, L.Z. Chiu, Anthropometric and performance variables discriminating elite American junior men weightlifters. Journal of Strength and Condioning Reserach, Vol. 20, n.4, 2006, pp.861-866.

[2] M. Leone, G. Lariviere, A.S. Comtois, Discriminant analysis of anthropometric and biomotor variables among elite adolescent female athletes in four sports. Journal of Sports Sciences. Vol.20, n.6, 2002, pp.443-449.

[3] J. Sampaio, S. Ibanez, A Lorenzo, M. Gomez, Discriminative game-related statistics between basketball starters and nonstarters when related to team quality and game outcome. Perceptual and Motor Skills, Vol. 103, n. 2, 2006, pp 486-494.

[4] R.M. Smith, W.L. Spinks, Discriminant analysis of biomechanical differences

[5] A. Giachetti, C. Lovato C. F.Piscitelli, C. Milanese, C. Zancanaro. Robust automatic measurement of 3D scanned models for human body fat estimation. «IEEE JOURNAL OF BIOMEDICAL AND HEALTH INFORMATICS» , vol. 19 , n. 2 , 2015 , pp. 660-667

[6] P. Cignoni, M. Callieri, M. Corsini, et al. Meshlab: an open-source mesh processing tool. In Eurographics Italian Chapter Conference, pages 129–136. The Eurographics Association, 2008.

[7] Kruskal, J. B., and Wish, M. (1978), Multidimensional Scaling, Sage University Paper series on Quantitative Application in the Social Sciences, 07-011. Beverly Hills and London: Sage Publications

between novice, good and elite rowers. Journal of Sports Sciences, Vol. 13, n.5, 199, pp. 5377-5385.

[8] F. Van Der Heijden et al. Classification, parameter estimation and state estimation: an engineering approach using MATLAB. John Wiley & Sons, 2005.